



Simple. Solid. Smart.

SmartTouch™ and Fleet Manager III

Touchscreen Cart Control Panel and Fleet Management Software
for select Jaco Powered Medical Computer Carts



Take control of cart power management and med security.

Jaco SmartTouch, a simple and efficient touchscreen cart control panel and information center, integrates seamlessly with Jaco Fleet Manager III software over your WiFi network. Together they create a small-footprint, high-productivity solution for minimizing cart downtime, controlling and tracking med drawer access, and managing assets effectively.

Fast and easy access to power status and cart features. Just touch the SmartTouch screen to check battery power level, adjust keyboard lighting, unlock med drawers and more.

Centralized, comprehensive power monitoring and management. SmartTouch continually transmits battery charge levels, recharge cycles, cart service requests and more to Fleet Manager III, where IT staff can review all data on a single screen.

Med drawer security, simplified. Together, SmartTouch and Fleet Manager III software include everything you need to implement single-factor (PIN or scan card) or dual-factor (PIN and scan card) med drawer authentication.

Low-impact deployment that works with your infrastructure. The SmartTouch/Fleet Manager III solution requires no client software. Fleet Manager III software runs on any Java®-compatible operating system, and works over your existing WiFi network.



SmartTouch Control Panel

Simple, smart cart control—always in sight, always in reach.

SmartTouch's simple, focused interface provides fast access to the features and information nurses need most. With on-board intelligence, ID card scanner, and WiFi capability built in, SmartTouch is ready to use—just configure your carts, and go.



Clear, easy-to-read battery status

SmartTouch displays cart battery charge status using a large battery icon display and a smaller, precise digital readout.



Single- or dual-factor med drawer authentication

Authenticate using a PIN (up to 9 digits) or a scan card—or using both password and scan card for maximum security.



No client software required

SmartTouch does not require installation or use of any additional software on the cart computer.



Simple service request

Just touch an icon to request cart service from your IT department or help desk, via Fleet Manager III software.



Integrated LED keyboard light and volume controls

Illuminate the keyboard for easier typing in darkened rooms or hallways; control volume with a touch of the screen.



Built-in WiFi (801.11b/g/n)

SmartTouch automatically transmits cart power and med drawer transaction data to Fleet Manager III software, over your existing WiFi network.

SmartTouch is currently available as an option on new Jaco UltraLite 500, Jaco One, and Jaco One EVO carts; an upgrade kit is available for existing UltraLite 500 and Jaco One carts. Ask your Jaco sales representative or authorized reseller for details.

Fleet Manager III Cart Management Software

Monitor every cart and track med drawer access—anytime, anywhere.

Fleet Manager III gathers continually-updated power usage and med drawer transaction data from every SmartTouch-equipped cart in your fleet—and presents it in a single screen accessible from desktop and mobile devices.

Java-based; no client software required

Fleet Manager III runs on any Java-compatible operating system. It gathers data directly from SmartTouch over your WiFi network—there's no need to install software on cart computers.

Full cart configuration capabilities

Assign cart and group names; configure single- or dual-factor authentication; set drawers to re-lock 20, 30, 45 or 60 seconds after unlocking; much more.

Centralized, comprehensive monitoring

Monitor cart status, battery charge, battery cycle life, support requests, and all drawer access information from single, tabbed management screen.

Notification system

Send important or emergency messages to single carts, groups of carts or all carts. Messages can be accompanied by a warning sound that overrides any user-specified volume settings.

Group ID Drawer Transaction Log Battery Charge Status
Cart Name Cart Status Battery Recharges

Device Name/ID	GroupID	Status	Product Name	IP Address	MAC Address	Charge	Cycles	Last Update
ICU02CART01	ICU 2	OFF-LINE	Series 500 Cart	192.168.254.174	4C:55:CC:15:CA:9B	1 %	18	2:40:05 PM - Oct 20 '17
ICU02CART03	ICU 2	OFF-LINE	Series 500 Cart	192.168.254.176	4C:55:CC:11:CE:15	1 %	25	2:35:58 PM - Oct 20 '17
ICU02CART07	ICU 2	OFF-LINE	Series 500 Cart	192.168.254.182	4C:55:CC:11:CE:25	1 %	9	2:45:23 PM - Oct 20 '17
ED01CART04	ED 01	IDLE	Series 500 Cart	192.168.254.180	4C:55:CC:13:CA:16	100 %	13	2:47:35 PM - Oct 20 '17
ED02CART09	ED 02	IDLE	Series 500 Cart	192.168.254.187	4C:55:CC:12:CE:07	90 %	16	2:47:40 PM - Oct 20 '17
ED01CART02	ED 01	IDLE	Series 500 Cart	192.168.254.186	4C:55:CC:12:CE:05	35 %	20	2:47:40 PM - Oct 20 '17
XRAY01CART02	XRAY	IDLE	Series 500 Cart	192.168.254.189	4C:55:CC:12:CE:25	100 %	8	2:47:55 PM - Oct 20 '17
XRAY01CART04	XRAY	IDLE	Series 500 Cart	192.168.254.185	4C:55:CC:16:CC:1B	80 %	10	2:47:46 PM - Oct 20 '17
XRAY01CART03	XRAY	SERVICE	Series 500 Cart	192.168.254.181	4C:55:CC:17:CD:45	60 %	14	2:47:53 PM - Oct 20 '17
ED02CART05	ED 02	ACTIVE	Series 500 Cart	192.168.254.184	4C:55:CC:10:CC:0B	75 %	12	2:47:50 PM - Oct 20 '17
ICU02CART04	ICU 2	ACTIVE	Series 500 Cart	192.168.254.188	4C:55:CC:10:CB:28	100 %	10	2:47:57 PM - Oct 20 '17



Schedule a Demonstration.

See for yourself how Jaco SmartTouch and Fleet Manager III software can simplify and improve cart power management and med security for new and existing Jaco carts. Contact your Jaco sales representative today to schedule an onsite demonstration.

800-649-2278 | info@jacoinc.com | jacoinc.com



Simple. Solid. Smart.

All Jaco products are designed, manufactured, assembled, and supported in the United States.



Jaco is certified as a Women's Business Enterprise by the Women's Business Enterprise National Council.